BRAIN RESEARCH

VOL. 653 NO. 1/2 **CONTENTS** **8 AUGUST 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the Submission of Manuscripts v

Announcement from the Publisher vii

Research Reports

Evidence that amplification of norepinephrine-induced LH release by morphine is indirectly due to suppression of tuberoinfundibular dopamine secretion
J.-R. He, J. Molnar and C.A. Barraclough (USA) 1

Muscarinic receptor-dependent activation of phospholipase C in the developing human fetal central nervous system
J.N. Larocca, A.G. Rodriguez-Gabin, W.K. Rashbaum, K.M. Weidenheim and W.D. Lyman (USA) 9

μ-Opiate receptor binding is up-regulated in mice selectively bred for high stress-induced analgesia
J.S. Mogil, P. Marek, L.A. O'Toole, M.L. Helms, B. Sadowski, J.C. Liebeskind and J.K. Belknap (USA, Poland) 16

Response of cerebral endothelial cells to hypoxia: modification by fructose-1,6-bisphosphate but not glutamate receptor antagonists
G.T. Gobbel, T.Y.-Y. Chan, G.A. Gregory and P.H. Chan (USA) 23

The control of jaw-opener motoneurons during active sleep
C. Pedroarena, P. Castillo, M.H. Chase and F.R. Morales (Uruguay, USA) 31

Traumatic brain injury causes a decrease in M2 muscarinic cholinergic receptor binding in the rat brain
M.M. DeAngelis, R.L. Hayes and B.G. Lyeth (USA) 39

Protective effect of α-tocopherol on brain cell membrane function during cerebral cortical hypoxia in newborn piglets
S.M. Shin, B. Razdan, O.P. Mishra, L. Johnson and M. Delivoria-Papadopoulos (USA, South Korea) 45

Reactivity to novelty during youth as a predictive factor of cognitive impairment in the elderly: a longitudinal study in rats
F. Dellu, W. Mayo, M. Vallée, M. Le Moal and H. Simon (France) 51

Amphetamine induces excess release of striatal acetylcholine in vivo that is independent of nigrostriatal dopamine
R.J. Mandel, G. Leanza, O.G. Nilsson and E. Rosengren (USA, Sweden, Italy) 57

Antioxidant enzymes in the brain of zitter rats: abnormal metabolism of oxygen species and its relevance to pathogenic changes in the brain of zitter rats with genetic spongiform encephalopathy
H. Gomi, I. Ueno and K. Yamanouchi (Japan) 66

Cholinergic and GABAergic septo-hippocampal projection neurons in mice: a retrograde tracing study combined with double immunocytochemistry for choline acetyltransferase and parvalbumin
R. Linke, H. Schwegler and M. Boldyreva (Germany) 73

Mu and delta opioid receptors mediate opposite modulations by morphine of the spinal release of cholecystokinin-like material
J.J. Benoliel, E. Collin, A. Mauborgne, S. Bourgoin, J.C. Legrand, M. Hamon and F. Cesselin (France) 81

Brain lesions and water-maze learning deficits after systemic administration of kainic acid to adult rats
M.J. Gayoso, C. Primo, A. Al-Majdalawi, J.M. Fernandez, M. Garrosa and C. Iñiguez (Spain) 92

Lipopolysaccharide intracerebral administration induces minimal inflammatory reaction in rat brain
C.N. Montero-Menei, L. Sindji, A. Pouplard-Barthelaix, F. Jehan, L. Denechaud and F. Darcy (France) 101

Mechanisms of hyperpolarization induced by two cytokines, hTNFα and hIL-1α in neurons of the mollusc, *Onchidium*
Y. Mimura, T. Gotow, T. Nishi and M. Osame (Japan) 112

Different types of bombesin receptors on neurons in the dorsal raphe nucleus and the rostral hypothalamus in rat brain slices in vitro
R.D. Pinnock, T. Reynolds and G.N. Woodruff (UK) 119

Anticonvulsant activity of antagonists and partial agonists for the NMDA receptor-associated glycine site in the kindling model of epilepsy
C. Rundfeldt, P. Wlaź and W. Löscher (Germany) 125

Platelet-derived growth factor B-chain-like immunoreactivity in injured rat brain
S. Takayama, M. Sasahara, K. Iihara, J. Handa and F. Hazama (Japan) 131

Cerebral mitochondrial redox states during metabolic stress in the immature rat
R.C. Vannucci and R.M. Brucklacher (USA) 141

Neurochemical predisposition to self-administer cocaine in rats: individual differences in dopamine and its metabolites
S.D. Glick, J. Raucci, S. Wang, R.W. Keller Jr. and J.N. Carlson (USA) 148

Calcium and cAMP mediated stimulation of Fos in cultured hypothalamic tyrosine hydroxylase-immunoreactive neurons
L.J. Sim, D.E. Selley, K.P. Tsai and M. Morris (USA) 155

(contents continued on p. 360)

0006-8993(19940808)653:1/2;1-L

BRAIN RESEARCH

VOL. 653 NO. 1/2 **CONTENTS** **8 AUGUST 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the Submission of Manuscripts v

Announcement from the Publisher vii

Research Reports

Evidence that amplification of norepinephrine-induced LH release by morphine is indirectly due to suppression of tuberoinfundibular dopamine secretion
J.-R. He, J. Molnar and C.A. Barraclough (USA) 1

Muscarinic receptor-dependent activation of phospholipase C in the developing human fetal central nervous system
J.N. Larocca, A.G. Rodriguez-Gabin, W.K. Rashbaum, K.M. Weidenheim and W.D. Lyman (USA) 9

μ-Opiate receptor binding is up-regulated in mice selectively bred for high stress-induced analgesia
J.S. Mogil, P. Marek, L.A. O'Toole, M.L. Helms, B. Sadowski, J.C. Liebeskind and J.K. Belknap (USA, Poland) 16

Response of cerebral endothelial cells to hypoxia: modification by fructose-1,6-bisphosphate but not glutamate receptor antagonists
G.T. Gobbel, T.Y.-Y. Chan, G.A. Gregory and P.H. Chan (USA) 23

The control of jaw-opener motoneurons during active sleep
C. Pedroarena, P. Castillo, M.H. Chase and F.R. Morales (Uruguay, USA) 31

Traumatic brain injury causes a decrease in M2 muscarinic cholinergic receptor binding in the rat brain
M.M. DeAngelis, R.L. Hayes and B.G. Lyeth (USA) 39

Protective effect of α-tocopherol on brain cell membrane function during cerebral cortical hypoxia in newborn piglets
S.M. Shin, B. Razdan, O.P. Mishra, L. Johnson and M. Delivoria-Papadopoulos (USA, South Korea) 45

Reactivity to novelty during youth as a predictive factor of cognitive impairment in the elderly: a longitudinal study in rats
F. Dellu, W. Mayo, M. Vallée, M. Le Moal and H. Simon (France) 51

Amphetamine induces excess release of striatal acetylcholine in vivo that is independent of nigrostriatal dopamine
R.J. Mandel, G. Leanza, O.G. Nilsson and E. Rosengren (USA, Sweden, Italy) 57

Antioxidant enzymes in the brain of zitter rats: abnormal metabolism of oxygen species and its relevance to pathogenic changes in the brain of zitter rats with genetic spongiform encephalopathy
H. Gomi, I. Ueno and K. Yamanouchi (Japan) 66

Cholinergic and GABAergic septo-hippocampal projection neurons in mice: a retrograde tracing study combined with double immunocytochemistry for choline acetyltransferase and parvalbumin
R. Linke, H. Schwegler and M. Boldyreva (Germany) 73

Mu and delta opioid receptors mediate opposite modulations by morphine of the spinal release of cholecystokinin-like material
J.J. Benoliel, E. Collin, A. Mauborgne, S. Bourgoin, J.C. Legrand, M. Hamon and F. Cesselin (France) 81

Brain lesions and water-maze learning deficits after systemic administration of kainic acid to adult rats
M.J. Gayoso, C. Primo, A. Al-Majdalawi, J.M. Fernandez, M. Garrosa and C. Iñiguez (Spain) 92

Lipopolysaccharide intracerebral administration induces minimal inflammatory reaction in rat brain
C.N. Montero-Menei, L. Sindji, A. Pouplard-Barthelaix, F. Jehan, L. Denechaud and F. Darcy (France) 101

Mechanisms of hyperpolarization induced by two cytokines, hTNFα and hIL-1α in neurons of the mollusc, *Onchidium*
Y. Mimura, T. Gotow, T. Nishi and M. Osame (Japan) 112

Different types of bombesin receptors on neurons in the dorsal raphe nucleus and the rostral hypothalamus in rat brain slices in vitro
R.D. Pinnock, T. Reynolds and G.N. Woodruff (UK) 119

Anticonvulsant activity of antagonists and partial agonists for the NMDA receptor-associated glycine site in the kindling model of epilepsy
C. Rundfeldt, P. Wlaź and W. Löscher (Germany) 125

Platelet-derived growth factor B-chain-like immunoreactivity in injured rat brain
S. Takayama, M. Sasahara, K. Iihara, J. Handa and F. Hazama (Japan) 131

Cerebral mitochondrial redox states during metabolic stress in the immature rat
R.C. Vannucci and R.M. Brucklacher (USA) 141

Neurochemical predisposition to self-administer cocaine in rats: individual differences in dopamine and its metabolites
S.D. Glick, J. Raucci, S. Wang, R.W. Keller Jr. and J.N. Carlson (USA) 148

Calcium and cAMP mediated stimulation of Fos in cultured hypothalamic tyrosine hydroxylase-immunoreactive neurons
L.J. Sim, D.E. Selley, K.P. Tsai and M. Morris (USA) 155

(contents continued on p. 360)

0006-8993(19940808)653:1/2;1-L

(contents continued)

Developmental changes in the sensitivity of the neonatal rat brain to hypoxic/ischemic injury
M.R. Grafe (USA) 161
Stimulation of synaptosomal Na^+,K^+-ATPase by ethanol: possible involvement of an isozyme-specific inhibitor of Na^+,K^+-ATPase
T.D. Foley and D.E. Rhoads (USA) 167
Postnatal maturation of the layer III pyramidal neurons in the human prefrontal cortex: a quantitative Golgi analysis
M.J.Th. Koenderink, H.B.M. Uylings and L. Mrzljak (Netherlands, USA) 173
Participation of noradrenergic neurotransmission in the suppression by substance P of α_2-adrenoceptors at the nucleus reticularis gigantocellularis involved in central cardiovascular regulation in the rat
M.-Y. Tsou, W.-B. Len, T.-Y. Lee, S.H.H. Chan, W.H.T. Pan and J.Y.H. Chan (Taiwan, ROC) 183
Induction of HSP70 mRNA and HSP70 protein in the hippocampus of the developing gerbil following transient forebrain ischemia
M.A. Soriano, A. Tortosa, A.M. Planas, E. Rodriguez-Farré and I. Ferrer (Spain) 191
Rapid postmortem changes in the cellular localisation of amino acid transmitters in the retina as assessed by immunocytochemistry
D.V. Pow and D.K. Crook (Australia) 199
Effects of neuropeptide Y on short-term memory
J. Cleary, M. Semotuk and A.S. Levine (USA) 210
The immunocytochemical localization of glutamate in the electrosensory system of the gymnotiform fish, *Apteronotus leptorhynchus*
D. Wang and L. Maler (Canada) 215
The calcitonin gene-related peptide antagonist $CGRP_{8-37}$ increases the latency to withdrawal responses in rats
L.-C. Yu, P. Hansson and T. Lundeberg (Sweden, China) 223
Progressive cognitive impairment following chronic cerebral hypoperfusion induced by permanent occlusion of bilateral carotid arteries in rats
J.-w. Ni, H. Ohta, K. Matsumoto and H. Watanabe (Japan) 231
Altered GABAergic effects on kainic acid-induced seizures in the presence of hippocampal sclerosis in rats
T. Araki, M. Kato and I. Goto (Japan) 237
HSP72 induction by heat stress in human neurons and glial cells in culture
J.-i. Satoh and S.U. Kim (Canada) 243
The cortico-pallidal projection in the rat: an anterograde tracing study with biotinylated dextran amine
A. Naito and H. Kita (USA) 251
Neuroanatomical distribution of receptors for a novel voltage-sensitive calcium-channel antagonist, SNX-230 (ω-conopeptide MVIIC)
K. Gohil, J.R. Bell, J. Ramachandran and G.P. Miljanich (USA) 258
Differential role of histamine in mediating stress-induced changes in central dopaminergic neuronal activity in the rat
A.E. Fleckenstein, K.J. Lookingland and K.E. Moore (USA) 267
Histaminergic neurons mediate restraint stress-induced increases in the activity of noradrenergic neurons projecting to the hypothalamus
A.E. Fleckenstein, K.J. Lookingland and K.E. Moore (USA) 273
Self-administered nicotine activates the mesolimbic dopamine system through the ventral tegmental area
W.A. Corrigall, K.M. Coen and K.L. Adamson (Canada) 278
Facilitatory effects of testosterone on hypothalamic tachykinin levels and release
P.S. Kalra, M.G. Dube and S.P. Kalra (USA) 285
Opening of the blood–brain barrier during cortical superfusion with histamine
L. Schilling and M. Wahl (FRG) 289
The astrocyte mitogen, tumor necrosis factor-α, inhibits the proliferative effect of more potent adult human astrocyte mitogens, γ-interferon and activated T-lymphocyte supernatants
T. Tejada-Berges and V.W. Yong (Canada) 297
Identification of neural pathways activated in dehydrated rats by means of Fos-immunohistochemistry and neural tracing
M.J. McKinley, D.K. Hards and B.J. Oldfield (Australia) 305
FMRFamide-like immunoreactivity in presumptive chemosensory afferents of the spiny lobster, *Panulirus argus*
M. Schmidt and B.W. Ache (USA) 315

Short communications

The saturated response of vertebrate rods and its relation to cGMP metabolism
K.N. Leibovic and K.-Y. Pan (USA) 325
Uptake of exogenous fluorescent Di-I by intact junctional epithelium of adult rats allows retrograde labeling of trigeminal sensory neurons
A. Sugaya, E.H. Chudler and M.R. Byers (USA, Japan) 330
cAMP-dependent differential regulation of extracellular matrix (ECM) gene expression in cultured rat Schwann cells
M. Yamamoto, G. Sobue, M. Li, T. Mitsuma, K. Kimata and Y. Yamada (Japan, USA) 335
Epileptic activity can induce both long-lasting potentiation and long-lasting depression
R. Contzen and O.W. Witte (FRG) 340
Olivary projecting neurons in the nucleus of Darkschewitsch in the cat receive excitatory monosynaptic input from the cerebellar nuclei
C.I. De Zeeuw and T.J.H. Ruigrok (Netherlands) 345
Visual corticogeniculate projections in the cat
R.J. McCart and G.H. Henry (Australia) 351

Author Index 357